



JOINT DETAIL
SINGLE OFFSET GASKET
PER ASTM C-443 AND C-990

GENERAL NOTES:

1. 4000 PSI CONCRETE AT 28 DAYS.
2. CONSTRUCTION PER ASTM C-478, LATEST REVISION
3. UNIT HEIGHTS AS REQUIRED - IN 12" INCREMENTS
4. ANY ALTERATION TO THIS DRAWING MUST BE MADE TO GARDEN STATE PRECAST IN WRITING PRIOR TO PRODUCTION.
5. GRADE-INVERT ELEVATION < 4.0 FEET- NO STEPS ARE REQUIRED.
6. DRAWING NOT TO SCALE
7. STEEL REINFORCED COPOLYMER STEPS @ 12" O.C.

REINFORCEMENT

WELDED WIRE FABRIC PER ASTM A-185, GRADE 70
REINFORCEMENT BARS PER ASTM A-615 GRADE 60

SEPTEMBER 2019

SHEET 1 OF 1	WEIGHT PER VERTICAL FOOT = 1,800 LBS 10" TOP SLAB = 4,860 LBS	PRECAST 72" DIAMETER SANITARY DOGHOUSE MANHOLE ASSEMBLY WITH TOP SLAB	GARDEN STATE PRECAST FARMINGDALE, N.J. PHONE #: 732-938-4436 FAX #: 732-938-7096
-------------------------------------	--	--	--

SAN-10A